

RESUMEN

El embarazo en la adolescencia se ha convertido en un problema de salud de primer orden en la actualidad. El embarazo en adolescentes es cada día más frecuente en nuestro medio, con marcada importancia en países subdesarrollados y en vías de desarrollo, debido a sus repercusiones adversas sociales y de salud, tanto para las madres como para los niños.

El inicio de vida sexual activa se lleva a cabo cada vez más temprano enfrentándose las adolescentes a estas relaciones sin ninguna preparación, pues no cuentan con una educación sexual estructurada y además no se acompaña del uso adecuado de métodos anticonceptivos, resultando un alto porcentaje de embarazos no planificados durante la adolescencia los cuales contribuyen al incremento en las tasas de morbilidad materno - infantil.

El objetivo principal de esta investigación fue determinar la incidencia de embarazos en adolescentes que fueron atendidas por parto en el Hospital Obstétrico Ángela Loayza de Ollague.

Materiales y método: es una investigación descriptiva, transversal, analítica de casos, retrospectiva, no experimental. El universo lo conforman 1016 embarazadas que acudieron al Hospital Obstétrico Ángela Loayza de Ollague durante el periodo de Junio a Diciembre 2014, de las cuales 335 fueron adolescentes embarazadas. Siendo la muestra 138 adolescentes que finalizaron en parto. Como técnica se utiliza la encuesta con consentimiento informado a cada una de las adolescentes en puerperio inmediato.

Resultados: Al realizar el análisis de las pacientes embarazadas durante el periodo de la investigación, se observó que de 1016 embarazos, 335 correspondieron a adolescentes, de los cuales 138 culminaron mediante parto normal. La edad promedio de las adolescentes gestantes fue 18 años.

Se puede concluir que la gestación en adolescentes es aún más frecuente de lo esperado y que la mayoría de ellas tuvieron dificultades para presentar el parto normal, por lo que fue necesario recurrir, para la terminación de su embarazo al parto por vía abdominal.

Palabras clave: Embarazo, Parto, Adolescente, Problema de salud.

ABSTRACT

Teenage pregnancy has become a health problem of first order today. Teenage pregnancy is increasingly common in our society, especially in underdeveloped and developing countries because of its social and health adverse impact for both the mother and the child.

These days, the onset of sexual activity takes place earlier and earlier. Teens face these relationships without any preparation since they have no sex education structured; furthermore, these relationships do not come accompanied by the proper use of contraceptive methods, resulting in a high percentage of unplanned pregnancies during adolescence which contribute to increased rates of maternal and child morbidity and mortality.

The main objective of this research was to determine the incidence of pregnancies in teens who were assisted by delivery at the Obstetric Hospital Angela Loayza de Ollague.

Materials and method: This investigation is descriptive, cross-sectional, case analytical, retrospective, and not experimental. The population chosen for this investigation is made up of 1016 pregnant women who attended the Obstetrics Hospital Angela Loayza de Ollague during the period June-December 2014, 335 of these women were pregnant teenagers. The sample was composed by 138 adolescents who ended the pregnancy process with the labor. The survey with consent from each survey respondent who were adolescents in immediate postpartum was used as a data collection technique.

Results: when analyzing pregnant patients during the period of the investigation, it was observed that 335 out of 1016 pregnancies belonged to adolescents. 138 of these were led by normal delivery. The average age of the pregnant teenagers was 18.

It can be concluded that teenage pregnancy is more common than expected, also most of the teenagers found it difficult to present normal delivery, so it was necessary to resort to the termination of her pregnancy to childbirth abdominally.

Keywords: Pregnancy, Childbirth, Adolescent, Health problem.